ರಾಣಿ ಚನ್ನಮ್ಮ

RANI CHANNAMMA

ವಿದ್ಯಾಸಂಗಮ, ಪಿ.ಜಿ.ರಾಷ್ಟ್ರೀಯ ಹೆದ್ದಾರಿ-4, ಭೂತರಾಮನಹೞ್ಣ, ಬೆಳಗಾವಿ-591156,



ವಿಶ್ವವಿದ್ಯಾಲಯ

UNIVERSITY

Vidyasangam, P.B.National Highway-04 Belagavi-591156

ಕುಲಸಚಿವರ ಕಾರ್ಯಾಲಯ

ಫೋನ್ ನಂ:0831-2565203/206/234

क्रुक्ट्र :0831-2565240

Website:www.rcub.ac.in

E-mail: rcuregistrar@gmail.com

ಸಂಖ್ಯೆ: ರಾಚವಿ/ಬೆಳಗಾವಿ/ಕುಸಕಾ/2020-21/5040

ದಿನಾಂಕ:25.02.2021

ಕೋಟೆಶನ್ ಪ್ರಕಟಣೆ

Name of Work: Providing Re-Wiring at RCU Main Building Toilet & Bathroom Right Wing & Left Wing@ Rani ChannammaUniversity Belagavi.

ໜຢະລ: a NÁEN PÄ®¥WUNA CEÄa ÆÃZÆÉ ¢EÁAPN24.02.2021

ªÃº EÀ«μλiλÁAQvÀPÁºÄUÁjAiÑEÃßPſUɼÞÄFF¥ÞÀUÁIÉA¢UÉAnnexure-IqºèEÞÆ¢¹zÀProviding Re-Wiring at RCU Main Building Toilet & Bathroom Right Wing & Left Wing @ Rani Channamma University Belagavi. zlightű PÁAilliða Ellis, EKEAZÁ-ÄVI Zlight (EÁG) AZNJEKULLAZI ZIGHENTAILLENS DO ÁKK Í ÁVZÉ Annexure-I K/Q-1 qà £P ÄÆ£ÁIÄEÄB «±k ZÁ®AIÄZÀ ªÃ¨ï fmï: www.rcub.ac.in j Azà që£ř Æãqï ª NÁrPÆAqã ZÌQP LÀB £P MÆ¢¹ ª ư ÞJSAZÀ ®PÆÃmÁiÀ ª ÑÃ-É "Quotation for Providing Re-Wiring at RCU Main Building Toilet & Bathroom Right Wing & Left Wing @ Rani Channamma University Belagavi." JAZ LP LP LECT , ÎP è, ÎN a ÎA VÉ PÉEÃGÎT ÁV ZÉ

> ಸಹಿ/-ಕುಲಸಚಿವರು ರಾಣಿ ಚನ್ನಮ್ಮ ವಿಶ್ವವಿದ್ಯಾಲಯ ಬೆಳಗಾವಿ

ರಾಣಿ ಚನ್ನಮ್ಮ RANI CHANNAMM

RANI CHANNAMMA

ವಿದ್ಯಾಸಂಗಮ, ಪಿ.ಜ.ರಾಷ್ಟ್ರೀಯ ಹೆದ್ದಾರಿ–4, Vidya ಭೂತರಾಮನಹಟ್ಟ, ಬೆಳಗಾವಿ–591156

ಫೋನ್ ನಂ:0831-2565242



ವಿಶ್ವವಿದ್ಯಾಲಯ

UNIVERSITY

Sangam, P.B.National Highway-04, Belagavi-591156

<u>ಕಟ್ಟಡ ವಿಭಾಗ</u>

Website:www.rcub.ac.in

Annexure I K/Q-1

<u>INVITATION FOR QUOTATION FOR:</u> Providing Re-Wiring at RCU Main Building Toilet & Bathroom Right Wing & Left Wing @ Rani Channamma University Belagavi.

To,

The Registrar Rani Channamma University Belagavi.

Sir,

Sub: Invitation of quotation for providing Re-Wiring at RCU Main Building Toilet & Bathroom Right Wing & Left Wing @ Rani Channamma University Belagavi.

1. Sealed competitive quotations are invited by the undersigned for the following items.

SI. No	Particulars	Qty	Rate	Amount
1	Supplying and wiring adopting loop system in existing PVC Conduit /casing capping using 2x1.5Sqmm (Phase& Neutral) & 1x1.0 sqmm (Earth wire) FRLS multistrand PVC insulated copper wire (confirming to IS-694: and latest amendments) with a 6Amps flush typeSP control switch shall be fixed on the existing plastic sheet/gang box, the other end of the wires shall be terminated with sufficient loose length in a wood/PVC round block. Complete for each outlet.			
	Short point up to 3Mtr from tapping point to out let via switch	20		
	Medium point above 3Mtr up to 6Mtr from tapping point to out let via switch	22		
	Long point above 6Mtr up to 10Mtr from tapping point to out let via switch	18		
2	Wiring for lighting/power circuit using one of FRLS PVC insulated 1100V grade, multistrand copper wire with low conductor resistance single core in open or concealed system of wiring with specified IS-694:confirming to latest amendments.			
	1.5 sqmm	300		
	2.5 sqmm	375		
3	Supplying and fixing surface/flush mounting unbreakable PVC modular box suitable for mounting modular switch plates with due groove cutting in Brick/C.C wall, including necessary rawl plugs, Machine/NF screws etc., complete.			
	1-3Way	3		

	4-5Way	4	
	6 Way	6	
	8 Way	3	
	Supplying and flush mounting powder coated / galvanized		
	metal box suitable for mounting modular switch plates. The		
	box should be firmly flush mounted after due groove cutting		
	in Brick/Stone/C.C wall		
	1-3Way	3	
	4-5Way	4	
	6 Way	6	
	8 Way	3	
	Supplying and fixing of modular switch & connected		
	accessories on existing modular switch plate as per IS 3854		
	and IS 1293.		
	6Amps one way Switch	40	
4	Supplying & fixing retrofit type -PL- LED LampW		
	LED linear source with CCT 6500 degree K, CRI> 70%.		
	efficacy >80 lumen per watt, life> 25000 burning hours		
	and Compliance to IS 10322/IEC 60598, LM 79 & LM		
	80. The LED are driven by HF electronic driver integrated		
	in the system, with PF > 0.95, power loss should < 5% of		
	lamp wattage., short circuit & open circuit protection to be		
	integrated in the circuit, THD less than 20%, Life as per LM		
	79. The operating input voltage should be between 130 to		
	275 volts. Tested by NABL/CPRI accredited laboratory with		
	2 years Warranty against any manufacturing defect working		
	under standard electrical condition.		
5	18-20 Watts	24	
	GST 12%		
	Total Amount		

2. Quoted Price:

The Tenderer shall quote for items in the format of quotation attached;

- a. The quotation shall be attached with the specification GST payable by the tenderer
- b. The rates quoted for each item shall be fixed for the duration of the contract and shall not be subject to any adjustment.
- c. Rates for supply of partial quantity of an item is not acceptable.
- d. Corrections if any shall be made by crossing out, initialing, dating and rewriting.
- 3. Each tenderer must submit only one quotation.
- 4. Bidder should be enclosed the site visit certificate.
- 5. Validity of quotations:

The quotation shall remain valid for a period not less than 30 days after the deadline fixed for submission of quotations

6. Evaluation of quotations:

The Tenderar will evaluate and compare the quotations determined to be substantially

responsive i.e., which are properly signed, and conform to the terms and conditions and specifications in the following manner:

- a. The evaluation will be done including the GST. If the tenderer has not included the GST in his quotation for the item rate, and has also not indicated the rate of GST applicable, the quoted rate will be treated as though it is inclusive of the GST and no extra payment for GST will be made;
- b. The evaluation would be done for all the items put together. The items for which no rates have been quoted would be treated as zero and the total amount would be computed accordingly. The tenderer who has quoted for partial quantity of any one or more item(s) would be treated as non-responsive. Purchaser will award the contract to the responsive tenderer, whose total cost for all the items put together is the lowest..

7. Award of Contract:

- a. The Tenderer will award the contract to the tenderer whose quotation has been determined to be substantially responsive and who has offered the lowest price as per para 5(b) above.
- b. The Tenderer reserves the right at the time of contract award to increase or decrease the quantities of any or all of the items indicated in para 1 above by 25% without any change in the unit price or any other terms and conditions.
- c. The Tenderer prior to the expiration of the quotation validity period will notify the tenderer whose quotation is accepted to the award of contract. The terms of the accepted offer shall be incorporated in the purchase order.
- d. Normal commercial warranty/guarantee shall be applicable to the supplied goods.
- e. Payment shall be made after the delivery of the goods and their acceptance.
- f. Notwithstanding the above, the Tenderer reserves the right to accept or reject any quotations and to cancel the quotation process and reject all quotations at any time prior to the award of the contract.

You are requested to submit the sealed quotations super scribed on the envelope as "Quotations for repairs of "Providing Re-Wiring at RCU Main Building Toilet & Bathroom Right Wing & Left Wing @ Rani Channamma University Belagavi." due on latest by 3.00pm hours on-05-03-2021.

Attachment:	Yours Sincerely,		
Attaciment.	Sd/-		
	Assistant Executive Engineer		
	Rani Channamma University,		
	Belagavi.		
	Telephone No:0831-2565242.		

8. We look forward to receiving your quotations.